
Fireworks They are synonymous with our celebration of Independence Day. Yet, the thrill of fireworks can also bring pain, and even death. In 2014, CPSC staff conducted a study of fireworks injuries from June 20 through July 20. Here's what we learned.

230 people on average go to the emergency room every day with fireworks-related injuries in the month around the July 4th holiday. ★ 67% of these fireworks injuries in 2014 occurred

during the month surrounding July 4th. 7 9 people died due to 8 fireworks-related incidents. In


at least 2 incidents, the victims WERE NOT THE USERS.



9% Reloadable Shells

Fireworks Type*

20%




11% 11% 10-14 20-24

9%

45-64

Injuries by Age



26% male female Males were most injured from firecrackers, sparklers, bottle rockets, novelty devices, Roman candles and reloadable shells. **Fireworks Safety Tips** Never allow **Children** to play with

fireworks that have not ignited fully. * Keep a bucket of water or a garden hose handy in case of fire or other mishap.

* Never try to re-light or pick up

or ignite fireworks.

- *Make sure fireworks are legal in your area before buying or using them. ★ Light fireworks one at a time, then move back quickly.
- **★** More Fireworks Safety Tips □ www.cpsc.gov/fireworks Source: U.S. Consumer Product Safety Commission 2013 Fireworks Annual Report

U.S. Consumer Product





Safety Commission